


防腐剤の分析-1



Sample

1. *p*-Hydroxybenzoic acid  
(0.03mg/ml)

2. Methyl *p*-Hydroxybenzoate  
(0.20mg/ml)

3. Ethyl *p*-Hydroxybenzoate  
(0.17mg/ml)

4. Propyl *p*-Hydroxybenzoate  
(0.34mg/ml)

5. Butyl *p*-Hydroxybenzoate  
(0.32mg/ml)

Conditions;

Column: Develosil XG-C18M (5um) 4.6x150mm

Mobile phase: Acetonitrile/Water=50/50

Flow rate: 1.0ml/min

Temperature: 40°C

Detection: UV235nm

Injection volume: 2.0uL

System: DIONEX/Ultimate 3000 Series