

Develosil HPLC Column

# Develosil **HSR C18**

High Selectivity, High Separation, Revolution

## Develosil HPLC Column

# Develosil HSR C18

High Selectivity, High Separation, Revolution



## Develosil HSR C18 supports all analyses with high selectivity and high separation performance.

Develosil HSR series is the column of the universal type that incorporates the necessary elements for the separation.

- High selectivity which does not choose the type of compound
- High retention capacity and high separation performance born from our own production silica gel
- High durability due to high density of the functional groups and the end-cap
- Minimization of lot displacement

These features contribute to the routine and method development

### Overwhelming retention capacity

Develosil HSR C18 has adopted a silica gel having a large surface area. Thereby it is possible to obtain a high retention. This is that can be added to an organic solvent in conditions that were analyzed in an aqueous rich. And also it leads to the high sensitivity of the LC / MS.

### Improvement of pressure resistance


Is often withstand generic analytical column is set to 20 MPa, in Develosil HSR C18 is set to 25 MPa. This will enable sufficient consideration even in high pressure conditions.

### Minimization of lot displacement

Develosil HSR C18 are more rigorous quality control because they are manufactured in our company silica gel. In addition, it was eliminate all risks by reducing the working process of the to a greater extent than conventional. At any time to demonstrate the same performance precisely because column that has passed through a rigorous inspection before being shipped from the time of silica gel manufacturing.

### Develosil HSR C18 specifications

Silicagel base material	High-purity Silicagel (Spherical)
Surface area	450m <sup>2</sup> /g
Pore diameter	80 Å
Pore volume	1.15mL/g
Ligand	Octadecyl (Polymeric)
End-cap	○
Carbon content	22%
USP Column code	L1
pH range	pH1-10
Column withstand pressure	25MPa
Particle size	3, 5µm



#### Analytical conditions:

Column	: Develosil HSR C18, 5µm (4.6x150mm)
Mobile phase	: Acetonitrile/Water=70/30
Flow rate	: 1.0mL/min
Temperature	: 30°C
Detection	: UV254nm
Sample	: 1. Benzene (0.98mg/mL) 2. Fluorene (1.12mg/mL) 3. Pyrene (1.01mg/mL)
Injection volume	: 2.0µL

## Easy method transfer

Analysis example of a local anesthetic by Develosil HSR C18.


Method transfer of using fine particles, you can get almost the same level of performance by the particle diameter and size of (2). In addition (3) Conditions of it is possible to reduce the analysis time in half.

It also supports high-throughput analysis by the pressure resistance with a savings and margin of solvent by changing the inner diameter.


### Proper flow rate to the inner diameter

(4.6mm internal diameter: If the flow rate was 1.0mL/min)

i.d.	Flow rate
2.0mm	0.19mL/min
3.0mm	0.43mL/min
4.6mm	1.0mL/min
6.0mm	1.70mL/min
8.0mm	3.02mL/min
10.0mm	4.73mL/min
20.0mm	18.9mL/min
28.0mm	37.1mL/min




## Solvent composition and column pressure



## Tough end-cap


Develosil HSR C18 is subjected to its own end cap treatment. The effect is, showed good peak shape regardless of the acidic, basic, it is possible to proceed smoothly in the analysis without feel the stress.

In addition, this tough end cap has a significant effect on column durability.




## High selectivity from acidic conditions to alkaline conditions

Develosil HSR C18 can be widely used from acidic mobile phase to alkaline mobile phase by its own synthesis technology and tough end-cap. It maintains high stability even in harsh circumstances, such as method development in continuous analysis and high pH conditions across the day and night.



## Separation comparison of golf

Develosil HSR C18 will be can be separated without changing the fully peak which does not separate even conditions from the overwhelming retention capacity.




## Gradient analysis of quasi-drugs (fungicide).

Develosil HSR C18 provides a robust results in gradient analysis.

**Gradient**


min	A	B	Curve
0	100	0	6
10	60	40	6
22	60	40	6
22.1	100	0	6



## Retention of acid and basic compounds at low pH conditions


Basic compounds tend to hold is weak in acidic conditions. Therefore, damage by many become column acidic water-Based composition.

However, Develosil HSR was replote with durability C18 can be more stable reproducible analysis in isocratic and Gradient condition.



## Resveratrol in red wine

Develosil HSR C18 has been developed on the theme of following. This column can be used widely in all areas.



**A new revolution in Develosil HSR C18!**

## Price list

### Develosil HSR C18

Part number	Product name	Particle size (um)	Category	i.d. (mm)	Length (mm)	Price (Yen)
72-320050W	HSR C18, 3um	3	Semi-micro	2.0	50	34,000
72-320075W				2.0	75	34,000
72-320100W				2.0	100	44,000
72-320150W				2.0	150	50,000
72-320250W				2.0	250	67,000
72-520050W	HSR C18, 5um	5	Semi-micro	2.0	50	34,000
72-520100W				2.0	100	42,000
72-520150W				2.0	150	47,000
72-520250W				2.0	250	62,000
72-346050W	HSR C18, 3um	3	Analytical	4.6	50	34,000
72-346075W				4.6	75	34,000
72-346100W				4.6	100	44,000
72-346150W				4.6	150	50,000
72-346250W				4.6	250	67,000
72-546050W	HSR C18, 5um	5	Analytical	4.6	50	34,000
72-546100W				4.6	100	42,000
72-546150W				4.6	150	47,000
72-546250W				4.6	250	62,000
72-560250W				6.0	250	77,000
72-580250W			Semi-prep	8.0	250	105,000
72-5P1250W				10.0	250	155,000
72-5P2250W				Prep	20.0	250

### Develosil HSR C18 Guard column

Part number	Product name	Particle size (um)	Category	i.d. (mm)	Length (mm)	Price (Yen)
HO00015010C	Guard cartridge holder for semi-micro		Holder for the guard cartridge (for semi-micro)	1.5	10	15,000
HO00040010C	Guard cartridge holder for analytical		Holder for the guard cartridge (for analytical)	4.0	10	9,500
72-515010W	HSR C18-S guard column	5	Guard column/Cartridge type (for semi-micro)	1.5	10	20,000
72-515010C	HSR C18-S guard cartridge <b>[4 pieces]</b>	5	Exchange cartridge/Cartridge type for (semi-micro)	1.5	10	20,000
72-540010W	HSR C18 guard column	5	Guard column/Cartridge type (for analytical)	4.0	10	14,000
72-540010C	HSR C18 guard cartridge <b>[4 pieces]</b>	5	Exchange cartridge/Cartridge type (for analytical)	4.0	10	18,000
72-580010W	HSR C18, 5um for semi-prep	5	Guard column/Filling type (for semi-prep)	8.0	10	20,000
72-P2050W	HSR C18, 5um for prep	5	Guard column/Filling type (for prep)	20	50	105,000

- P/N 72-515010W and 72-540010W is a set of Guard cartridge holder (1piece) and guard cartridge (1 piece).
- All Develosil columns have Waters compatible end-fitting.
- It has prepared a variety of column sizes at our company. Column size that is not listed in the price list, please consult.

New information and application data catalog download the home page!!  
[www.develosil.net](http://www.develosil.net)



Information

Application

Price list

Contact Us

Develosil®



Japanese

News

2016.03.08

[CONTACT]



**NOMURA CHEMICAL CO., LTD.**

15, Hinode-cho, Seto, 489-0004, Japan

TEL: +81-561-48-1853 FAX: +81-561-48-1434

E-mail: [info@develosil.net](mailto:info@develosil.net)

Web: <http://www.develosil.net>